

---

## C\_12108\_Anlage

---

### Kein erneutes Login bei etablierter User Session

#### Änderungen in I\_Authorization\_Service.yaml

version ->1.6.0

#### Authorization PVS:

**operationId:** sendAuthorizationRequestSC  
**summary:** (sendAuthorizationRequestSC) Send authorization request  
**externalDocs:**  
  **description:** 'IDP-Dienst: gemSpec\_IDP\_FD, chapter "5.5 IDP-Dienst als OIDC IDP"'  
  **url:** <https://gemspec.gematik.de/docs/gemSpec/>  
**description:** |  
  Request authorization for a smartcard (SMC-B) based client.  
  **\*\*Client\*\*:** </br>  
  A client will receive a well prepared redirection uri and parameters for the  
  authorization request  
  towards the authenticator. A client shall invoke the authenticator and IDP flow to  
  receive an  
  authorization code for the subsequent \_sendAuthCodeSC\_ operation.  
  **\*\*Provider\*\*:** </br>  
  The authorization server shall prepare a complete redirection uri and authorization  
  request parameters  
  (PAR-URI) for the central smartcard IDP.  
  This operation shall be rejected if the corresponding user session is already  
  authorized. Repeated authorization  
  attempts are not supported.

Conditions	Status code	Error code	Remarks
Successful operation	302		
Request does not match schema	400	malformedRequest	
Invalid request	403	invalAuth	includes any error of Authorization Service .....
Repeated authorization attempt	409	statusMismatch	when user session is already authorized only
Any other error	500	internalError	(see 'Retry interval')

#### responses:

'302':  
  **\$ref:** '#/components/responses/AuthorizationResponseSC302'  
'400':  
  **\$ref:** '#/components/responses/Error400BadRequest'  
'403':  
  **\$ref:** '#/components/responses/Error403Forbidden'  
'409':  
  **\$ref:** '#/components/responses/Error409Conflict'  
'500':  
  **\$ref:** '#/components/responses/Error500InternalError'

## Authorization FdV:

**operationId:** sendAuthorizationRequestFdV  
**summary:** (sendAuthorizationRequestFdV) Send authorization request  
**externalDocs:**  
**description:** 'Request to IDP: gemSpec\_IDP\_FD, chapter "Anfrage von "ID\_TOKEN" beim sektoralen Identity Provider"  
**url:** <https://gemspec.gematik.de/docs/gemSpec/>  
**description:** |  
 Sends an authorization request to the authorization service.  
 .....

For the `_x-authorize-representative_` and the `_x-authorize-validation_` case the PAR for the IDP shall include:

- amr = urn:telematik:auth:guest:eGK

`_x-authorize-representative_` and `_x-authorize-validation_` both should not be set to `_true_` at the same time.

The authorization service' state value and clientid used for the PAR shall occur in the URI-PAR response of the IDP.

This operation shall be rejected if the corresponding user session is already authorized. Repeated authorization attempts are not supported.

Conditions	Status code	Error code	Remarks
Successful operation	302		
Request does not match schema	400	malformedRequest	also if both "x-authorize"-parameters are set to <code>_true_</code>
Invalid request	403	invalAuth	includes any error of Authorization Service .....
state or clientid value mismatch	403	invalData	returned URI-PAR does not contain expected state or clientid value
unregistered redirecturi	403	invalRedir	redirecturi (e.g. <code>_x-redirecturi_</code> ) is unknown, registraion required
Invalid URI (x-idp-iss)	404	noResource	
Repeated authorization attempt	409	statusMismatch	when user session is already authorized only
Any other error	500	internalError	

## responses:

**'302':**  
**\$ref:** '#/components/responses/AuthorizationResponseFdV302'  
**'400':**  
**\$ref:** '#/components/responses/Error400BadRequest'  
**'403':**  
**\$ref:** '#/components/responses/Error403Forbidden'  
**'404':**  
**\$ref:** '#/components/responses/Error404NotFound'  
**'409':**

```
$ref: '#/components/responses/Error409Conflict'  
'500':  
  $ref: '#/components/responses/Error500InternalServerError'
```